

EMSL Order: 371815285 Customer ID: COAS80

Customer PO: Project ID:

Attn: Marylee Morinelli Phone: (609) 685-9984

Coastal Environmental Compliance, LLC Fax: (609) 625-2644
PO Box 167
Collected: 09/04/2018


Project: Leeds Clear 3

Test Report: Air-O-Cell(™) Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number: Client Sample ID: Volume (L): Sample Location	371815285-0001 L1 75 Ambient			371815285-0002 L2 75 Room 114			371815285-0003 L3 75 Room 107		
Spore Types	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total
Alternaria (Ulocladium)	2	90	1.1	-	-	-	-	-	-
Ascospores	13	570	7.2	-	-	-	-	-	-
Aspergillus/Penicillium	10	440	5.5	-	-	-	3	100	55.6
Basidiospores	131	5790	72.8	1	40	50	1	40	22.2
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	18	800	10.1	1	40	50	1	40	22.2
Curvularia	2	90	1.1	-	-	-	-	-	-
Epicoccum	1	40	0.5	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	3*	40*	0.5	-	-	-	-	-	-
Pithomyces++	2	90	1.1	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Zygomycetes	-	-	-	-	-	-	-	-	-
Total Fungi	182	7950	100	2	80	100	5	180	100
Hyphal Fragment	2*	30*	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	1*	10*	-	1	40	-	-	-	-
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	2	-	-	2	-
Fibrous Particulate (1-4)	-	2	-	-	2	-	-	2	-
Background (1-5)	-	2	-	-	2	-	-	2	-

++ Includes other spores with similar morphology; see EMSL's flungal glossary flor each specific category.

No discernable field blank was submitted with this group of samples.



Vincent luzzolino, M.S., Laboratory Manager or other approved signatory

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. """

Denotes particles found at 300X. "." Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Lab 100194

Initial report from: 09/05/2018 15:16:28