



EMSL Analytical, Inc.

3303 PARKWAY CENTER COURT Orlando, FL 32808
Phone/Fax: (407) 599-5887 / (407) 599-9063
<http://www.EMSL.com> / orlandolab@emsl.com

Order ID: 341811877
Customer ID: COAS80
Customer PO:
Project ID:

Attn: Marylee Morinelli
Coastal Environmental Compliance, LLC
PO Box 167
Hammonton, NJ 08037-0167

Phone: (609) 820-9312
Fax: (609) 561-6197
Collected: 08/31/2018
Received: 08/31/2018
Analyzed: 09/01/2018

Proj: Washington School 1st Clear

Test Report: Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, and Other Particulates from Swab Samples (EMSL Method MICRO-SOP-200)

Lab Sample Number:	341811877-0018	341811877-0019	341811877-0020	341811877-0021	341811877-0022
Client Sample ID:	1	2	3	4	5
Sample Location:	103-Cabinet	104-Cabinet	105-Kids Chair	106-Cabinet	107-Cabinet
Spore Types	Category	Category	Category	Category	Category
Alternaria (Ulocladium)	-	-	-	-	-
Ascospores	-	-	-	-	-
Aspergillus/Penicillium	-	-	-	-	-
Basidiospores	-	-	-	-	-
Bipolaris++	-	-	-	-	-
Chaetomium	-	-	-	-	-
Cladosporium	-	-	-	-	-
Curvularia	-	-	-	-	-
Epicoccum	-	-	-	-	-
Fusarium	-	-	-	-	-
Ganoderma	-	-	-	-	-
Myxomycetes++	-	-	-	-	-
Pithomyces++	-	-	-	-	-
Rust	-	-	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-
Zygomycetes	-	-	-	-	-
Hyphal Fragment	-	-	-	-	-
Insect Fragment	-	-	-	-	-
Pollen	-	-	-	-	-

Sample Comment: 341811877-0018 None Detected
Sample Comment: 341811877-0019 None Detected
Sample Comment: 341811877-0020 None Detected
Sample Comment: 341811877-0021 None Detected
Sample Comment: 341811877-0022 None Detected

Category: Count/per area analyzed - Rare: 1 to 10 Low: 11 to 100 Medium: 101 to 1000 High: >1000

- Denotes Not Detected.

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum Myxomycetes++ = Myxomycetes/Periconia/Smut

* = Sample contains fruiting structures and/or hyphae associated with the spores.

Yessica Martinez Seeman, Microbiology
Technical Manager, Central Florida

No discernable field blank was submitted with this group of samples.

Samples received in good condition unless otherwise noted. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation of the data contained in this report is the responsibility of the client.

Samples analyzed by EMSL Analytical, Inc. Orlando, FL AIHA-LAP, LLC--EMLAP Accredited #163563

Initial report from: 09/01/2018 12:31:56

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

3303 PARKWAY CENTER COURT Orlando, FL 32808
Phone/Fax: (407) 599-5887 / (407) 599-9063
<http://www.EMSL.com> / orlandolab@emsl.com

Order ID: 341811877
Customer ID: COAS80
Customer PO:
Project ID:

Attn: Marylee Morinelli
Coastal Environmental Compliance, LLC
PO Box 167
Hammonton, NJ 08037-0167

Phone: (609) 820-9312
Fax: (609) 561-6197
Collected: 08/31/2018
Received: 08/31/2018
Analyzed: 09/01/2018

Proj: Washington School 1st Clear

Test Report: Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, and Other Particulates from Swab Samples (EMSL Method MICRO-SOP-200)

Lab Sample Number:	341811877-0023	341811877-0024	341811877-0025	341811877-0026	341811877-0027
Client Sample ID:	6	7	8	9	10
Sample Location:	108-Cabinet	121-Kids Chair	122-Desk	123-Cabinet	124 Kids Chair
Spore Types	Category	Category	Category	Category	Category
Alternaria (Ulocladium)	-	-	-	-	-
Ascospores	-	-	-	-	-
Aspergillus/Penicillium	-	-	-	-	-
Basidiospores	-	-	-	-	-
Bipolaris++	-	-	-	-	-
Chaetomium	-	-	-	-	-
Cladosporium	-	-	-	-	-
Curvularia	-	-	-	-	-
Epicoccum	-	-	-	-	-
Fusarium	-	-	-	-	-
Ganoderma	-	-	-	-	-
Myxomycetes++	-	-	-	-	-
Pithomyces++	-	-	-	-	-
Rust	-	-	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-
Zygomycetes	-	-	-	-	-
Hyphal Fragment	-	-	-	-	-
Insect Fragment	-	-	-	-	-
Pollen	-	-	-	-	-

Sample Comment: 341811877-0023 None Detected
Sample Comment: 341811877-0024 None Detected
Sample Comment: 341811877-0025 None Detected
Sample Comment: 341811877-0026 None Detected
Sample Comment: 341811877-0027 None Detected

Category: Count/per area analyzed - Rare: 1 to 10 Low: 11 to 100 Medium: 101 to 1000 High: >1000

- Denotes Not Detected.
Bipolaris++ = Bipolaris/Dreschlera/Exserohilum Myxomycetes++ = Myxomycetes/Periconia/Smut
* = Sample contains fruiting structures and/or hyphae associated with the spores.

Yessica Martinez Seeman, Microbiology
Technical Manager, Central Florida

No discernable field blank was submitted with this group of samples.

Samples received in good condition unless otherwise noted. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation of the data contained in this report is the responsibility of the client.

Samples analyzed by EMSL Analytical, Inc. Orlando, FL AIHA-LAP, LLC--EMLAP Accredited #163563

Initial report from: 09/01/2018 12:31:56

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

3303 PARKWAY CENTER COURT Orlando, FL 32808
Phone/Fax: (407) 599-5887 / (407) 599-9063
<http://www.EMSL.com> / orlandolab@emsl.com

Order ID: 341811877
Customer ID: COAS80
Customer PO:
Project ID:

Attn: Marylee Morinelli
Coastal Environmental Compliance, LLC
PO Box 167
Hammonton, NJ 08037-0167

Phone: (609) 820-9312
Fax: (609) 561-6197
Collected: 08/31/2018
Received: 08/31/2018
Analyzed: 09/01/2018

Proj: Washington School 1st Clear

Test Report: Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, and Other Particulates from Swab Samples (EMSL Method MICRO-SOP-200)

Lab Sample Number:	341811877-0028	341811877-0029	341811877-0030	341811877-0031	341811877-0032
Client Sample ID:	11	12	13	14	15
Sample Location:	125 Kids Chair	126 Table	203 Table	209 Cabinet	211 Easel
Spore Types	Category	Category	Category	Category	Category
Alternaria (Ulocladium)	-	-	-	-	-
Ascospores	-	-	-	-	-
Aspergillus/Penicillium	-	-	-	-	-
Basidiospores	-	-	-	-	-
Bipolaris++	-	-	-	-	-
Chaetomium	-	-	-	-	-
Cladosporium	-	-	-	-	-
Curvularia	-	-	-	-	-
Epicoccum	-	-	-	-	-
Fusarium	-	-	-	-	-
Ganoderma	-	-	-	-	-
Myxomycetes++	-	-	-	-	-
Pithomyces++	-	-	-	-	-
Rust	-	-	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-
Zygomycetes	-	-	-	-	-
Hyphal Fragment	-	-	-	-	-
Insect Fragment	-	-	-	-	-
Pollen	-	-	-	-	-

Sample Comment: 341811877-0028 None Detected
Sample Comment: 341811877-0029 None Detected
Sample Comment: 341811877-0030 None Detected
Sample Comment: 341811877-0031 None Detected
Sample Comment: 341811877-0032 None Detected

Category: Count/per area analyzed - Rare: 1 to 10 Low: 11 to 100 Medium: 101 to 1000 High: >1000

- Denotes Not Detected.

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum Myxomycetes++ = Myxomycetes/Periconia/Smut

* = Sample contains fruiting structures and/or hyphae associated with the spores.

Yessica Martinez Seeman, Microbiology
Technical Manager, Central Florida

No discernable field blank was submitted with this group of samples.

Samples received in good condition unless otherwise noted. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation of the data contained in this report is the responsibility of the client.

Samples analyzed by EMSL Analytical, Inc. Orlando, FL AIHA-LAP, LLC--EMLAP Accredited #163563

Initial report from: 09/01/2018 12:31:56

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

3303 PARKWAY CENTER COURT Orlando, FL 32808
Phone/Fax: (407) 599-5887 / (407) 599-9063
<http://www.EMSL.com> / orlandolab@emsl.com

Order ID: 341811877
Customer ID: COAS80
Customer PO:
Project ID:

Attn: Marylee Morinelli
Coastal Environmental Compliance, LLC
PO Box 167
Hammonton, NJ 08037-0167

Phone: (609) 820-9312
Fax: (609) 561-6197
Collected: 08/31/2018
Received: 08/31/2018
Analyzed: 09/01/2018

Proj: Washington School 1st Clear

Test Report: Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, and Other Particulates from Swab Samples (EMSL Method MICRO-SOP-200)

Lab Sample Number:	341811877-0033				
Client Sample ID:	16				
Sample Location:	Gym Table				
Spore Types	Category	-	-	-	-
Alternaria (Ulocladium)	-	-	-	-	-
Ascospores	-	-	-	-	-
Aspergillus/Penicillium	-	-	-	-	-
Basidiospores	-	-	-	-	-
Bipolaris++	-	-	-	-	-
Chaetomium	-	-	-	-	-
Cladosporium	-	-	-	-	-
Curvularia	-	-	-	-	-
Epicoccum	-	-	-	-	-
Fusarium	-	-	-	-	-
Ganoderma	-	-	-	-	-
Myxomycetes++	-	-	-	-	-
Pithomyces++	-	-	-	-	-
Rust	-	-	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-
Zygomycetes	-	-	-	-	-
Hyphal Fragment	-	-	-	-	-
Insect Fragment	-	-	-	-	-
Pollen	-	-	-	-	-

Sample Comment: 341811877-0033 None Detected

Category: Count/per area analyzed - Rare: 1 to 10 Low: 11 to 100 Medium: 101 to 1000 High: >1000

- Denotes Not Detected.

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum Myxomycetes++ = Myxomycetes/Periconia/Smut

* = Sample contains fruiting structures and/or hyphae associated with the spores.

Yessica Martinez Seeman, Microbiology
Technical Manager, Central Florida

No discernable field blank was submitted with this group of samples.

Samples received in good condition unless otherwise noted. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation of the data contained in this report is the responsibility of the client.

Samples analyzed by EMSL Analytical, Inc. Orlando, FL AIHA-LAP, LLC--EMLAP Accredited #163563

Initial report from: 09/01/2018 12:31:56

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com