



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
 Customer ID: COAS80
 Customer PO:
 Project ID:

Attn: Cathy Ledden
 Coastal Environmental Compliance, LLC
 PO Box 167
 Hammonton, NJ 08037-0167

Phone: (609) 820-9312
 Fax: (609) 561-6197
 Collected: 08/31/2012
 Received: 08/31/2012
 Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0001			371213664-0002			371213664-0003		
Client Sample ID:	18265436			18269565			18269510		
Volume (L):	75			75			75		
Sample Location:	C210			C209			C204		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria	-	-	-	-	-	-	-	-	-
Ascospores	2	84	38	-	-	-	-	-	-
Aspergillus/Penicillium	-	-	-	-	-	-	-	-	-
Basidiospores	2	84	38	1	42	100	1	42	43.3
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	3*	40*	18.1	-	-	-	1	42	43.3
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	1*	13*	5.9	-	-	-	1*	13*	13.4
Pithomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Cercospora	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Polythrincium	-	-	-	-	-	-	-	-	-
Total Fungi	8	221	100	1	42	100	3	97	100
Hyphal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	42	-	-	42	-	-	42	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	2	-	-	1	-	-	2	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
 Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
 Customer ID: COAS80
 Customer PO:
 Project ID:

Attn: Cathy Ledden
 Coastal Environmental Compliance, LLC
 PO Box 167
 Hammonton, NJ 08037-0167

Phone: (609) 820-9312
 Fax: (609) 561-6197
 Collected: 08/31/2012
 Received: 08/31/2012
 Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0004			371213664-0005			371213664-0006		
Client Sample ID:	18269768			18265391			18267135		
Volume (L):	75			75			75		
Sample Location:	B209			C201			A207		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	-	-	-	-	-	-
Aspergillus/Penicillium	-	-	-	1	42	43.3	-	-	-
Basidiospores	-	-	-	1	42	43.3	-	-	-
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	-	-	-	-	-	-	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	-	-	-	-	-	-	-	-	-
Pithomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	1*	13*	13.4	-	-	-
Cercospora	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Polythrincium	-	-	-	-	-	-	-	-	-
Total Fungi	-	None Detected	-	3	97	100	-	None Detected	-
Hypal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	42	-	-	42	-	-	42	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	2	-	-	1	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
 Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "*" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
 Customer ID: COAS80
 Customer PO:
 Project ID:

Attn: Cathy Ledden
 Coastal Environmental Compliance, LLC
 PO Box 167
 Hammonton, NJ 08037-0167

Phone: (609) 820-9312
 Fax: (609) 561-6197
 Collected: 08/31/2012
 Received: 08/31/2012
 Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0007			371213664-0008			371213664-0009		
Client Sample ID:	18269729			18269607			18269777		
Volume (L):	75			75			75		
Sample Location:	C207			A208			C205		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria	-	-	-	-	-	-	-	-	-
Ascospores	1*	13*	23.6	3	127	9	2	84	7.4
Aspergillus/Penicillium	-	-	-	-	-	-	-	-	-
Basidiospores	1	42	76.4	30	1270	90.1	13	549	48.2
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	-	-	-	-	-	-	12	506	44.4
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	-	-	-	-	-	-	-	-	-
Pithomyces	-	-	-	1*	13*	0.9	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Cercospora	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Polythrincium	-	-	-	-	-	-	-	-	-
Total Fungi	2	55	100	34	1410	100	27	1140	100
Hyphal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	42	-	-	42	-	-	42	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	2	-	-	1	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
 Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "*" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
 Customer ID: COAS80
 Customer PO:
 Project ID:

Attn: Cathy Ledden
 Coastal Environmental Compliance, LLC
 PO Box 167
 Hammonton, NJ 08037-0167

Phone: (609) 820-9312
 Fax: (609) 561-6197
 Collected: 08/31/2012
 Received: 08/31/2012
 Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0010			371213664-0011			371213664-0012		
Client Sample ID:	18265409			18269772			18267290		
Volume (L):	75			75			75		
Sample Location:	A202			A206			C208		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	1	42	25	2	84	26.1
Aspergillus/Penicillium	-	-	-	-	-	-	2	84	26.1
Basidiospores	-	-	-	1	42	25	3	127	39.4
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	-	-	-	1	42	25	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	1	42	25	-	-	-
Myxomycetes++	-	-	-	-	-	-	-	-	-
Pithomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	2*	27*	8.4
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Cercospora	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Polythrincium	-	-	-	-	-	-	-	-	-
Total Fungi	-	None Detected	-	4	168	100	9	322	100
Hypal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	42	-	-	42	-	-	42	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	1	-	-	1	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
 Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
 Customer ID: COAS80
 Customer PO:
 Project ID:

Attn: Cathy Ledden
 Coastal Environmental Compliance, LLC
 PO Box 167
 Hammonton, NJ 08037-0167

Phone: (609) 820-9312
 Fax: (609) 561-6197
 Collected: 08/31/2012
 Received: 08/31/2012
 Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0013			371213664-0014			371213664-0015		
Client Sample ID:	18269524			18265418			18265417		
Volume (L):	75			75			75		
Sample Location:	A201			B203			B204		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	-	-	-	-	-	-
Aspergillus/Penicillium	-	-	-	-	-	-	-	-	-
Basidiospores	-	-	-	3	127	100	1	42	100
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	-	-	-	-	-	-	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	-	-	-	-	-	-	-	-	-
Pithomyces	1*	13*	100	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Cercospora	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Polythrincium	-	-	-	-	-	-	-	-	-
Total Fungi	1	13	100	3	127	100	1	42	100
Hypchal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	42	-	-	42	-	-	42	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	1	-	-	1	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
 Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
 Customer ID: COAS80
 Customer PO:
 Project ID:

Attn: Cathy Ledden
 Coastal Environmental Compliance, LLC
 PO Box 167
 Hammonton, NJ 08037-0167

Phone: (609) 820-9312
 Fax: (609) 561-6197
 Collected: 08/31/2012
 Received: 08/31/2012
 Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0016			371213664-0017			371213664-0018		
Client Sample ID:	18269781			18266509			18269640		
Volume (L):	75			75			75		
Sample Location:	B210			B206			C202		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria	-	-	-	-	-	-	-	-	-
Ascospores	1	42	7.7	-	-	-	-	-	-
Aspergillus/Penicillium	1	42	7.7	-	-	-	-	-	-
Basidiospores	9	380	69.3	-	-	-	-	-	-
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	2	84	15.3	1	42	50	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	1	42	50	-	-	-
Myxomycetes++	-	-	-	-	-	-	-	-	-
Pithomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Cercospora	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Polythrincium	-	-	-	-	-	-	-	-	-
Total Fungi	13	548	100	2	84	100	-	None Detected	-
Hypthal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	42	-	-	42	-	-	42	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	1	-	-	2	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
 Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
 Customer ID: COAS80
 Customer PO:
 Project ID:

Attn: Cathy Ledden
 Coastal Environmental Compliance, LLC
 PO Box 167
 Hammonton, NJ 08037-0167

Phone: (609) 820-9312
 Fax: (609) 561-6197
 Collected: 08/31/2012
 Received: 08/31/2012
 Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0019			371213664-0020			371213664-0021		
Client Sample ID:	18269547			18269530			18269609		
Volume (L):	75			75			75		
Sample Location:	C203			B208			B211		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	-	-	-	-	-	-
Aspergillus/Penicillium	-	-	-	-	-	-	-	-	-
Basidiospores	11	464	82.7	-	-	-	4	169	80.1
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	1	42	7.5	-	-	-	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	1	42	7.5	-	-	-	1	42	19.9
Myxomycetes++	1*	13*	2.3	-	-	-	-	-	-
Pithomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Cercospora	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Polythrincium	-	-	-	-	-	-	-	-	-
Total Fungi	14	561	100	-	None Detected	-	5	211	100
Hypthal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	42	-	-	42	-	-	42	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	2	-	-	1	-	-	1	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
 Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
Customer ID: COAS80
Customer PO:
Project ID:

Attn: Cathy Ledden
Coastal Environmental Compliance, LLC
PO Box 167
Hammonton, NJ 08037-0167

Phone: (609) 820-9312
Fax: (609) 561-6197
Collected: 08/31/2012
Received: 08/31/2012
Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0022			371213664-0023			371213664-0024		
Client Sample ID:	18265439			18269831			18266497		
Volume (L):	75			75			75		
Sample Location:	B205			B201			B212		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria	-	-	-	-	-	-	-	-	-
Ascospores	3	127	25	-	-	-	-	-	-
Aspergillus/Penicillium	1	42	8.3	-	-	-	-	-	-
Basidiospores	8	338	66.7	3	127	100	-	-	-
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	-	-	-	-	-	-	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	-	-	-	-	-	-	-	-	-
Pithomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Cercospora	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Polythrincium	-	-	-	-	-	-	-	-	-
Total Fungi	12	507	100	3	127	100	-	None Detected	-
Hyphal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	42	-	-	42	-	-	42	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	1	-	-	1	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
 Customer ID: COAS80
 Customer PO:
 Project ID:

Attn: Cathy Ledden
 Coastal Environmental Compliance, LLC
 PO Box 167
 Hammonton, NJ 08037-0167

Phone: (609) 820-9312
Fax: (609) 561-6197
Collected: 08/31/2012
Received: 08/31/2012
Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell(™) Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0025			371213664-0026			371213664-0027		
Client Sample ID:	18265416			18269542			18265444		
Volume (L):	75			75			75		
Sample Location:	Ambient			C206			TV Studio		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria	4*	53*	0.2	-	-	-	-	-	-
Ascospores	44	1860	7.3	-	-	-	1	42	50
Aspergillus/Penicillium	-	-	-	-	-	-	1	42	50
Basidiospores	520	21900	85.9	1	42	100	-	-	-
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	20	844	3.3	-	-	-	-	-	-
Curvularia	1*	13*	0.1	-	-	-	-	-	-
Epicoccum	2*	27*	0.1	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	4	169	0.7	-	-	-	-	-	-
Myxomycetes++	9	380	1.5	-	-	-	-	-	-
Pithomyces	1	42	0.2	-	-	-	-	-	-
Rust	1*	13*	0.1	-	-	-	-	-	-
Scopulariopsis	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Cercospora	7*	93*	0.4	-	-	-	-	-	-
Nigrospora	2*	27*	0.1	-	-	-	-	-	-
Polythrincium	1	42	0.2	-	-	-	-	-	-
Total Fungi	616	25500	100	1	42	100	2	84	100
Hypthal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	1*	13*	-	-	-	-	-	-	-
Pollen	5	211	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	42	-	-	42	-	-	42	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	1	-	-	1	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
 Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. ""* Denotes particles found at 300X. "*" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0262
<http://www.emsl.com> / cinnmicrolab@emsl.com

EMSL Order ID: 371213664
Customer ID: COAS80
Customer PO:
Project ID:

Attn: Cathy Ledden
Coastal Environmental Compliance, LLC
PO Box 167
Hammonton, NJ 08037-0167

Phone: (609) 820-9312
Fax: (609) 561-6197
Collected: 08/31/2012
Received: 08/31/2012
Analyzed: 08/31/2012

Proj: Pville HS 2nd FI Clear

Test Report: Air-O - Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (EMSL Method 05-TP-003)

Lab Sample Number:	371213664-0028		
Client Sample ID:	18265423		
Volume (L):	75		
Sample Location:	TV Control Room		
Spore Types	Raw Count	Count/m³	% of Total
Alternaria	-	-	-
Ascospores	-	-	-
Aspergillus/Penicillium	-	-	-
Basidiospores	1	42	100
Bipolaris++	-	-	-
Chaetomium	-	-	-
Cladosporium	-	-	-
Curvularia	-	-	-
Epicoccum	-	-	-
Fusarium	-	-	-
Ganoderma	-	-	-
Myxomycetes++	-	-	-
Pithomyces	-	-	-
Rust	-	-	-
Scopulariopsis	-	-	-
Stachybotrys	-	-	-
Torula	-	-	-
Ulocladium	-	-	-
Unidentifiable Spores	-	-	-
Cercospora	-	-	-
Nigrospora	-	-	-
Polythrincium	-	-	-
Total Fungi	1	42	100
Hyphal Fragment	-	-	-
Insect Fragment	-	-	-
Pollen	-	-	-
Analyt. Sensitivity 600x	-	42	-
Analyt. Sensitivity 300x	-	13*	-
Skin Fragments (1-4)	-	1	-
Fibrous Particulate (1-4)	-	1	-
Background (1-5)	-	1	-

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum
Myxomycetes++ = Myxomycetes/Periconia/Smut

Preliminary Report

Actual final results may differ.

No discernable field blank was submitted with this group of samples.

High levels of background particulate can obscure spores and other particulates leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "" Denotes particles found at 300X. "*" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC--EMLAP Accredited #100194

Initial report from: 01/01/1900 00:00:00

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com