



**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

---

Attn:

**Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

5/4/2022

Phone: (609) 820-9312  
Fax: (609) 561-6197

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 4/22/2022. The results are tabulated on the attached data pages for the following client designated project:

**Pleasantville High School LIW**

The reference number for these samples is EMSL Order #012206360. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

---

Owen McKenna, Chemistry Laboratory Director



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.  
NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 1877

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-1  
Main Lobby-BF  
**Collected:** 4/21/2022 11:00:00 AM  
**Lab ID:** 012206360-0001

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 22:49

**Client Sample Description** 701-3  
Main Office Kitchen-S  
**Collected:** 4/21/2022 11:07:00 AM  
**Lab ID:** 012206360-0002

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 22:54

**Client Sample Description** 701-4  
Nurse's Office-S  
**Collected:** 4/21/2022 11:09:00 AM  
**Lab ID:** 012206360-0003

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 22:56

**Client Sample Description** 701-5  
Nurse's Office-S  
**Collected:** 4/21/2022 11:10:00 AM  
**Lab ID:** 012206360-0004

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 22:58

**Client Sample Description** 701-6  
Nurse's Office Exam A-S  
**Collected:** 4/21/2022 11:12:00 AM  
**Lab ID:** 012206360-0005

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.48	1.00 µg/L	4/26/2022 JW	4/27/2022 JW 18:46

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-7 Nurse's Office COT Room-S **Collected:** 4/21/2022 11:15:00 AM **Lab ID:** 012206360-0006

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:00

**Client Sample Description** 701-8 Room C106-S **Collected:** 4/21/2022 11:20:00 AM **Lab ID:** 012206360-0007

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:06

**Client Sample Description** 701-9 Room C102-S **Collected:** 4/21/2022 11:22:00 AM **Lab ID:** 012206360-0008

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.34	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:08

**Client Sample Description** 701-10 Outside Room C104-BF **Collected:** 4/21/2022 11:25:00 AM **Lab ID:** 012206360-0009

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/26/2022 JW	4/27/2022 JW 18:49

**Client Sample Description** 701-12 Room C104-S **Collected:** 4/21/2022 11:30:00 AM **Lab ID:** 012206360-0010

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.41	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:10

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-13  
 Room B113-S **Collected:** 4/21/2022 11:32:00 AM **Lab ID:** 012206360-0011

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:11

**Client Sample Description** 701-14  
 Outside Room B111-BF **Collected:** 4/21/2022 11:35:00 AM **Lab ID:** 012206360-0012

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:13

**Client Sample Description** 701-16  
 Room B106-S **Collected:** 4/21/2022 11:40:00 AM **Lab ID:** 012206360-0013

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.11	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:15

**Client Sample Description** 701-17  
 Room B105-S **Collected:** 4/21/2022 11:45:00 AM **Lab ID:** 012206360-0014

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:21

**Client Sample Description** 701-18  
 Room A104-S **Collected:** 4/21/2022 10:53:00 AM **Lab ID:** 012206360-0015

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	3.40	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:23

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-19  
 Outside Room A103 Left-WF  
**Collected:** 4/21/2022 11:55:00 AM  
**Lab ID:** 012206360-0016

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:29

**Client Sample Description** 701-20A  
 Room A102 Right -S  
**Collected:** 4/21/2022 12:05:00 PM  
**Lab ID:** 012206360-0017

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	4.92	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:31

**Client Sample Description** 701-20B  
 Room A102 Left-S  
**Collected:** 4/21/2022 12:10:00 PM  
**Lab ID:** 012206360-0018

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	2.42	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:32

**Client Sample Description** 701-21  
 Room A103-S  
**Collected:** 4/21/2022 12:15:00 PM  
**Lab ID:** 012206360-0019

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.48	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:34

**Client Sample Description** 701-22  
 Room A107-S  
**Collected:** 4/21/2022 12:17:00 PM  
**Lab ID:** 012206360-0020

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.06	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:36

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-23  
 Room A106 Left-S **Collected:** 4/21/2022 12:20:00 PM **Lab ID:** 012206360-0021

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	3.82	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:38

**Client Sample Description** 701-24  
 Room A106 Right-S **Collected:** 4/21/2022 12:22:00 PM **Lab ID:** 012206360-0022

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.84	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:40

**Client Sample Description** 701-26  
 Outside Cafeteria Left-WF **Collected:** 4/21/2022 12:25:00 PM **Lab ID:** 012206360-0023

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:51

**Client Sample Description** 701-27  
 Outside Cafeteria Rigt - WF **Collected:** 4/21/2022 12:27:00 PM **Lab ID:** 012206360-0024

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:57

**Client Sample Description** 701-28  
 Kitchen (Stand Alone)-S **Collected:** 4/21/2022 12:27:00 PM **Lab ID:** 012206360-0025

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	2.28	1.00 µg/L	4/28/2022 JW	4/28/2022 JW 23:59

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-29 Kitchen Prep #1-S **Collected:** 4/21/2022 12:30:00 PM **Lab ID:** 012206360-0026

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:01

**Client Sample Description** 701-30 Kitchen Prep #2-S **Collected:** 4/21/2022 12:31:00 PM **Lab ID:** 012206360-0027

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:03

**Client Sample Description** 701-31 Kitchen #1-S **Collected:** 4/21/2022 12:32:00 PM **Lab ID:** 012206360-0028

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:09

**Client Sample Description** 701-32 Kitchen #2-S **Collected:** 4/21/2022 12:34:00 PM **Lab ID:** 012206360-0029

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/26/2022 JW	4/27/2022 JW 18:56

**Client Sample Description** 701-32A Kitchen Braiser #1-BR **Collected:** 4/21/2022 12:36:00 PM **Lab ID:** 012206360-0030

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	2.39	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:11

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-32B Kitchen Braiser #2-BR **Collected:** 4/21/2022 12:38:00 PM **Lab ID:** 012206360-0031

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	2.63	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:12

**Client Sample Description** 701-32C Kitchen Ice Machine-1M **Collected:** 4/21/2022 12:40:00 PM **Lab ID:** 012206360-0032

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:14

**Client Sample Description** 701-32D Room C112-S **Collected:** 4/21/2022 12:41:00 PM **Lab ID:** 012206360-0033

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	9.34	1.00 µg/L	4/26/2022 JW	4/27/2022 JW 18:58

**Client Sample Description** 701-33 Pool-WF **Collected:** 4/21/2022 12:43:00 PM **Lab ID:** 012206360-0034

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:16

**Client Sample Description** 701-38 Trainer's Room -S **Collected:** 4/21/2022 12:50:00 PM **Lab ID:** 012206360-0035

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.08	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:18



**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-39  
 Trainer's Room -1M  
**Collected:** 4/21/2022  
 12:52:00 PM  
**Lab ID:** 012206360-0036

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/26/2022 JW	4/27/2022 JW 19:00

**Client Sample Description** 701-39A  
 Pool Girl's Locker Room Right-WF  
**Collected:** 4/21/2022  
 12:55:00 PM  
**Lab ID:** 012206360-0037

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	3.24	1.00 µg/L	4/26/2022 JW	4/27/2022 JW 19:02

**Client Sample Description** 701-39B  
 Pool Girl's Locker Room Left-WF  
**Collected:** 4/21/2022  
 1:00:00 PM  
**Lab ID:** 012206360-0038

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	2.48	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:24

**Client Sample Description** 701-39C  
 Pool Boy's Locker Room Right-WF  
**Collected:** 4/21/2022  
 1:05:00 PM  
**Lab ID:** 012206360-0039

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.83	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:26

**Client Sample Description** 701-39D  
 Pool Boy's Locker Room Left-WF  
**Collected:** 4/21/2022  
 1:10:00 PM  
**Lab ID:** 012206360-0040

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	2.28	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:31

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-40  
 Teacher's Lounge 2nd Floor-S  
**Collected:** 4/21/2022 1:19:00 PM  
**Lab ID:** 012206360-0041

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/26/2022 JW	4/27/2022 JW 19:05

**Client Sample Description** 701-41  
 Outside Room C204-BF  
**Collected:** 4/21/2022 1:20:00 PM  
**Lab ID:** 012206360-0042

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:33

**Client Sample Description** 701-43  
 Outside Room B206-BF  
**Collected:** 4/21/2022 1:23:00 PM  
**Lab ID:** 012206360-0043

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:35

**Client Sample Description** 701-45  
 Room B205-S  
**Collected:** 4/21/2022 1:27:00 PM  
**Lab ID:** 012206360-0044

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.54	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:37

**Client Sample Description** 701-46  
 Outside Room A205-BF  
**Collected:** 4/21/2022 1:30:00 PM  
**Lab ID:** 012206360-0045

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:39

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: Pleasantville High School LIW

**Analytical Results**

**Client Sample Description** 701-48  
 Room A205-S **Collected:** 4/21/2022 1:33:00 PM **Lab ID:** 012206360-0046

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:41

**Client Sample Description** 701-49  
 Room A210-S **Collected:** 4/21/2022 1:35:00 PM **Lab ID:** 012206360-0047

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	4/28/2022 JW	4/29/2022 JW 00:43

**Client Sample Description** 701-50  
 Library Office-S **Collected:** 4/21/2022 1:40:00 PM **Lab ID:** 012206360-0048

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	5/2/2022 VD	5/2/2022 14:11 VD

**Client Sample Description** 701-53  
 Room A105 Left-S **Collected:** 4/21/2022 1:47:00 PM **Lab ID:** 012206360-0049

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	2.27	1.00 µg/L	5/2/2022 VD	5/2/2022 14:19 VD

**Client Sample Description** 701-54  
 Room A105 Right-S **Collected:** 4/21/2022 1:50:00 PM **Lab ID:** 012206360-0050

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	5/2/2022 VD	5/2/2022 14:21 VD

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (856) 303-2500 / (856) 858-4571  
<http://www.EMSL.com> [EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012206360  
 CustomerID: COAS80  
 CustomerPO:  
 ProjectID:

Attn: **Marylee Morinelli**  
**Coastal Environmental Compliance, LLC**  
**PO Box 167**  
**Hammonton, NJ 08037-0167**

Phone: (609) 820-9312  
 Fax: (609) 561-6197  
 Received: 4/22/2022 02:10 PM

Project: **Pleasantville High School LIW**

**Analytical Results**

**Client Sample Description** 701-55  
 Room 105-S **Collected:** 4/21/2022 1:55:00 PM **Lab ID:** 012206360-0051

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
--------	-----------	--------	----------	---------------------	-------------------------

**METALS**

200.8	Lead	ND	1.00 µg/L	5/2/2022 VD	5/2/2022 14:22 VD
-------	------	----	-----------	-------------	-------------------

**Client Sample Description** 701-Blank  
 Blank **Collected:** 4/21/2022 **Lab ID:** 012206360-0052

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
--------	-----------	--------	----------	---------------------	-------------------------

**METALS**

200.8	Lead	ND	1.00 µg/L	5/2/2022 VD	5/2/2022 14:24 VD
-------	------	----	-----------	-------------	-------------------

**Definitions:**

- MDL - method detection limit
- J - Result was below the reporting limit, but at or above the MDL
- ND - indicates that the analyte was not detected at the reporting limit
- RL - Reporting Limit (Analytical)
- D - Dilution Sample required a dilution which was used to calculate final results